NOTE: PROVIDED 6' OF SLACK FOR EACH CABLE ENTERING READER BOX. EACH CABLE SHALL BE LOOPED TIED AND STORED IN THE READER BOX.

1/84 READER POLE DETAIL

3/8.4 SECTION

2/84 BOTTOM MOUNTING BRACKET
TOP BRACKET OPPOSITE HAND

NOTE: GALVANIZING SHALL BE GROUND OFF BEFORE WELDING. FIELD WELDED AREAS SHALL BE COATED WITH ASTM A780 PAINT.

THE MOUNTING BRACKET AND THE POLE SHALL BE PROVIDED AND INSTALLED BY THE 58-20-01 CONTRACTOR.

1/I116 READER POLE DETAIL
SCALE: N.T.S.

DESIGN AGENCY
PRIME AE
540 White Pond Drive, Ste. E
Akron, Ohio 44320
(330)-864-7755

NO.	REVISIONS	BY	DATE
1	ADDENDUM No. 2	CK	5/1220
2	ADDENDUM NO. 4	CK	5/18/20

DESIGNED RNS | CHECKED CEK
DRAWN RNS | IN CHARGE CEK

LUCAS COUNTY
TOLL PLAZA 49

READER POLE DETAIL

PROJECT 58-20-01
DATE: 04/22/2020

I116

197
202

OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION