FENCE NEAR FIBER OPTIC LINES
EXTREME CAUTION SHOULD BE TAKEN WHEN REPLACING THE RIGHT OF WAY FENCE NEAR EXISTING FIBER OPTIC LINES. TAKE PRECAUTIONS AS NOTED IN PLANS FOR LOCATING THE FIBER OPTIC CABLE PRIOR TO FENCE REPLACEMENT.

ITEM 607 - FENCE, TYPE 47, AS PER PLAN
FENCE SHALL BE CONSTRUCTED IN ACCORDANCE WITH OTIC STANDARD DRAWING F-1 EXCLUDING THE BARBED WIRE, ODOT STANDARD DRAWINGS F-3.1, F-3.3 AND F-3.4 AND ODOT CMS 607 WITH A ONE FOOT (1') OFFSET ON THE TURNPIKE SIDE OF THE RIGHT OF WAY. PRIOR TO CLEARING AND GRUBBING ON NEWLY ACQUIRED RIGHT OF WAY, LOCATE AND RECORD INFORMATION NEEDED FOR DEFLECTIONS AND CORNERS. NOTE THAT THE EXISTING FENCE MAY DIFFER FROM WHAT IS SHOWN IN THE PLANS. WHEN FENCE IS BEING REPLACED, THE PROPOSED FENCE SHALL BE INSTALLED ALONG THE EXISTING FENCE LINE. NO CONSTRUCTION ACTIVITIES SHALL OCCUR MORE THAN ONE FOOT (1') OUTSIDE OF THE EXISTING OR PROPOSED RIGHT OF WAY. CONTRACTOR SHALL INSTALL NEW FENCE WITHIN FOUR (4) DAYS OF REMOVAL OF EXISTING FENCE. ALL OPENINGS WITHIN RESIDENTIAL AREAS SHALL BE SECURED UNTIL THE NEW FENCE HAS BEEN INSTALLED.

PAYMENT FOR THE ABOVE WORK SHALL BE MADE AT THE UNIT PRICE BID PER FOOT FOR ITEM 607 - FENCE, TYPE 47, AS PER PLAN, AND SHALL INCLUDE ALL LABOR, TOOLS, EQUIPMENT AND MATERIALS NECESSARY TO CONSTRUCT A COMPLETE AND FUNCTIONAL RIGHT OF WAY FENCE SYSTEM.

ITEM SPECIAL - FENCELINE SEEDING AND MULCHING
PERFORM FENCELINE SEEDING AND MULCHING ACCORDING TO ITEM 659 -SEEDING AND MULCHING, ON ALL AREAS DISTURBED BY THE CLEARING AND GRADING FOR THE FENCE.

FENCELINE SEEDING AND MULCHING WILL BE MEASURED ALONG THE TOP OF THE FENCE FROM OUTSIDE TO OUTSIDE OF END POSTS, EXCLUSIVE OF GATES AND OTHER OPENINGS. FOR ESTIMATING PURPOSES, A WIDTH OF 11' IS USED. SEEDING SHALL BE DONE WITHIN 14 DAYS OF THE COMPLETION OF THE FENCE. ALL SLOPED AREAS SHALL HAVE WASH OUTS REPAIRED PRIOR TO SEEDING.

PAYMENT FOR THE ABOVE WORK SHALL BE MADE AT THE UNIT PRICE BID PER FOOT FOR ITEM SPECIAL - FENCELINE SEEDING AND MULCHING, AND SHALL INCLUDE ALL LABOR, TOOLS, EQUIPMENT AND MATERIALS NECESSARY TO COMPLETE THIS WORK.

ITEM SPECIAL - FENCELINE CLEARING AND GRUBBING
PERFORM CLEARING AND GRUBBING OR MOWING TO A SIX INCH (6") HEIGHT AS NECESSARY TO CONSTRUCT THE FENCE TO THE REQUIRED ALIGNMENT, AND PROVIDE A REASONABLY SMOOTH GROUND PROFILE AT THE FENCE LINE. THIS WORK SHALL BE PERFORMED WITH A MINIMUM OF ONE FOOT (1') INSIDE THE FENCE IN ACCORDANCE WITH ODOT CMS 607.03. ALL BRUSH AND TREE LIMBS SHALL BE REMOVED ONE (1') OUTSIDE THE EXISTING/PROPOSED FENCE LINE. NO CONSTRUCTION ACTIVITIES SHALL OCCUR MORE THAN ONE FOOT (1') OUTSIDE OF THE EXISTING FENCE. ALL STUMPS SHALL BE GROUND SIX (6") BELOW GRADE.

THE CM SHALL BE NOTIFIED PRIOR TO REMOVING ANY TREES LOCATED OUTSIDE THE EXISTING FENCELINE, ON BOTH THE TURNPIKE RIGHT OF WAY AND THE ADJACENT PROPERTY. IF THE TREE IS TO BE SAVED, THE FENCE SHALL BE MOVED IN SUCH THAT THE TREE IS TWO (2') FEET FROM THE PROPOSED FENCE.

PAYMENT FOR THE ABOVE WORK SHALL BE MADE AT THE UNIT PRICE BID PER FOOT FOR ITEM SPECIAL - FENCELINE CLEARING AND GRUBBING, AND SHALL INCLUDE ALL LABOR, TOOLS, EQUIPMENT AND MATERIALS NECESSARY TO COMPLETE THIS WORK.

ITEM SPECIAL - EXISTING AGGREGATE DRAIN OUTLET CLEAN OUT
THE FOLLOWING ITEM HAS BEEN INCLUDED IN THE ESTIMATED QUANTITIES FOR USE IN UNCOVERING AND EXPOSING EXISTING TYPE II AGGREGATE DRAIN OUTLETS ON THE RIGHT/OUTSIDE SHOULDER ONLY. THE CONTRACTOR SHALL SUBMIT, FOR APPROVAL, ITS PROPOSED METHOD FOR PERFORMING THE WORK.

THE APPROXIMATE LOCATION OF EXISTING TYPE II AGGREGATE DRAIN OUTLET IS AT EACH EXISTING PAVEMENT JOINT WHICH SHOULD BE SPACED AT APPROXIMATELY 61'-6" O/C. FOR ESTIMATING PURPOSES, THE WORK TO BE PERFORMED SHALL INCLUDE THE FOLLOWING: STARTING 4' FROM THE OUTSIDE EDGE OF THE SHOULDER, REMOVE UP TO 1' IN DEPTH OF SLOPE MATERIAL, REMOVE AT A WIDTH OF 3', REMOVE AT A LENGTH OF APPROXIMATELY 30", AND ALLOW TO DRAIN UNTIL WATER IS NO LONGER FLOWING. THIS WILL RESULT IN APPROXIMATELY 1 SQ.YD. OF CLEANOUT PER EXISTING AGGREGATE DRAIN OUTLET. PLACE NEW MATERIAL IN EXCAVATED AREA TO RESTORE OUTLET USING MATERIAL IN ACCORDANCE WITH SP 605.

CONTRACTOR SHALL DISPOSE OF ALL EXCAVATED MATERIAL IN ACCORDANCE WITH SP 105.

ALL AREAS ARE TO BE REVIEWED BY THE CHIEF ENGINEER AND CONTRACTOR TO DETERMINE APPROXIMATE LOCATION PRIOR TO COMMENCING ANY APPROVED WORK. THE CHIEF ENGINEER MAY ADJUST NUMBER, SIZE, SPACING, AND/OR LOCATION AFTER REVIEW TO ENSURE PLAN INTENT IS MET. NO WORK WILL BE PERFORMED OVER AN EXISTING ACTIVE UTILITY. ALL REVIEW AND LAYOUT WORK, BY THE CONTRACTOR, SHALL BE CONSIDERED INCIDENTAL TO SP 623.

ITEM SPECIAL - EXISTING AGGREGATE DRAIN OUTLET CLEAN OUT, SHALL INCLUDE ALL LABOR, EQUIPMENT, MATERIALS, AND INCIDENTALS NECESSARY TO COMPLETE THE ABOVE MENTIONED WORK:

ITEM SPECIAL - AGGREGATE DRAIN OUTLET CLEAN OUT 164 SQ.YD.

1

FENCE SUB SUMMARY

REF NO.	SHEET NO.	STATION TO STATION		SIDE	202 FENCE REMOVED	607 FENCE, TYPE 47, AS PER PLAN	SPECIAL FENCELINE SEEDING AND MULCHING	SPECIAL FENCELINE CLEARING AND GRUBBING
		FROM	TO		FT.	FT.	FT.	FT.
F-01	186-187	8+07	17+70	WB	980	980	980	980
F-02	186-189	8499+78	54+57	EB	4733	4733	4733	4733
F-03	188-189	32+25	54+62	WB	2287	2287	2287	2287
F-04	189-193	54+91	116+07	WB	6260	6260	6260	6260
F-05	189-193	54+86	116+57	EB	6352	6352	6352	6352
F-06	194-197	117+40	169+60	WB	5529	5529	5529	5529
F-07	194-197	118+09	169+75	EB	5442	5442	5442	5442
F-08	197-199	169+90	222+54	WB	5431	5431	5431	5431
F-09	197-199	170+05	223+12	EB	5428	6018	6018	6018
F-12	201-205	222+84	275+72	WB	5465	5465	5465	5465
F-13	201-205	222+98	276+18	EB	5540	5540	5540	5540
F-14	205-209	276+03	323+85	WB	4944	4944	4944	4944
F-15	205-208	276+48	322+03	EB	4644	4644	4644	4644
F-16	209-212	324+24	373+94	WB	5106	5106	5106	5106
F-17	208-212	322+41	374+22	EB	5417	5417	5417	5417
F-18	212-214	374+23	391+00	WB	1720	1720	1720	1720
F-19	212-214	374+50	391+00	EB	1684	1684	1684	1684
TOTALS CARRIED TO GENERAL SUMMARY					76962	77552	77552	77552

CHECKING PRINT
CHECKED: ____ DATE: ____ CORRECTED: ____ DATE: ____
BACKCHECKED: ____ DATE: ____ APPROVED: ____ DATE: ____

2018161GN001.dwg: 8/24/20 - 1:08pm

DESIGN AGENCY
GPD GROUP®
Gray, Pauly, Dittmer, Richards & Stearns, Inc.
520 South Main Street, Suite 2531
Akron, Ohio 44311
330.572.2100 Fax 330.572.2101

NO.	REVISIONS	BY	DATE
1	ADDENDUM #4	PJF	8/24/20

DESIGNED	CHECKED
CLH	PJF
DRAWN	IN CHARGE
CLH	MRG

OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION

GENERAL NOTES
ROADWAY

PROJECT 39-20-01A
DATE: 06/26/20

3 / 7

19
613