

OHIO TURNPIKE AND  
INFRASTRUCTURE COMMISSION

ADDENDUM NO. 2

PROJECT NO. 56-16-04  
ELMORE MAINTENANCE BUILDING HVAC ROOFTOP REPLACEMENT  
MILEPOST 79.9, EASTBOUND  
OTTAWA COUNTY, OHIO


*PREVIOUSLY EXTENDED* OPENING DATE: 2:00 P.M. (EASTERN TIME), *JULY 6, 2016*


ALL BIDS MUST BE ELECTRONICALLY SUBMITTED THROUGH BID EXPRESS

ATTENTION OF BIDDERS IS DIRECTED TO:

REVISIONS TO THE CONTRACT DOCUMENTS  
Plan Sheet 2 of 8

Issued by the Ohio Turnpike and Infrastructure Commission on June 27, 2016. Issuance authorized by Anthony D. Yacobucci, Chief Engineer, and Mark R. Musson, Director of Contract Administration.

  
Anthony D. Yacobucci      6/27/16  
Date

  
Mark R. Musson      6/27/16  
Date

**OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION  
ADDENDUM NO. 2  
PROJECT NO. 56-16-04**

**The incorrect Plan Sheet - pertaining to a different Commission facility (Hiram Maintenance Building) - was attached to Addendum No. 1. With this Addendum No. 2, the Commission substitutes the attached correct Plan Sheet 2 of 8 pertaining to the Elmore Maintenance Building under Project No. 56-16-04 containing the same new General Note as follows:**

"8. DEMOLITION OF EXISTING DRYWALL CEILING IN THE MENS TOILET AND LOCKER ROOM  
SHALL BE PERFORMED BY THE CONTRACTOR."

Bidders are to disregard the Plan Sheet 2 of 8 referencing the Hiram Maintenance Building and use the attached Plan Sheet 2 of 8 revised through this Addendum No. 2 for bidding.

**MODIFICATIONS TO THE CONTRACT DOCUMENTS**

**Modification to Plan Sheet 2 of 8**

Revised Plan Sheet 2 of 8 attached to Addendum No. 1 is rescinded in its entirety and wholly replaced and superseded by the attached revised Plan Sheet 2 of 8 for Project No. 56-16-04 via this Addendum No. 2 and incorporated by reference into the Contract Documents.


Bidders Acknowledgment of Addendum No. 2  
to Contract No. 56-16-04:

\_\_\_\_\_  
(Firm Name)


\_\_\_\_\_  
(Signature)

\_\_\_\_\_  
(Printed Name)

Date: \_\_\_\_\_



**ARCHITECTURAL REFLECTED CEILING PLAN**  
SCALE: 1/8" = 1'-0"



**ARCHITECTURAL REFLECTED CEILING PLAN**  
SCALE: 1/8" = 1'-0"

**CEILING GENERAL NOTES:**

1. DEMOLITION OF EXISTING CEILING GRID AND TEMPORARY SUSPENSION OF EXISTING 2x4 LIGHTS WILL BE PERFORMED BY OWNER. INSTALLATION OF 2x4 LIGHT FIXTURES INTO THE GRID WILL BE PERFORMED BY OWNER.
2. CONTRACTOR SHALL SUPPORT THE SUSPENDED CEILING AT 4'-0" O.C. MAX. EACH WAY, AS WELL AS WITHIN 6" OF EACH CORNER OF LIGHT FIXTURES IN ACCORDANCE WITH ASTM C-636-76 (OR LATEST REVISION). SUPPORT WIRES SHALL NOT INTERFERE WITH PLACEMENT OF LIGHT FIXTURES, DUCT WORK, ETC. SUSPENSION WIRES SHALL BE FASTENED TO STRUCTURE ONLY.
3. RECESSED OR SURFACE MOUNTED FIXTURES SHALL BE INDEPENDENTLY WIRE SUPPORTED AT EACH CORNER (IF RECESSED) OR AT EACH END (IF SURFACE) OF THE FIXTURE FROM THE STRUCTURE ABOVE.
4. LAY-IN CEILING TILE AND GRID ARE TO BE AS FOLLOWS:  
GRID: USG DONN DX/DXL EXPOSED TEE, COLOR: WHITE  
TILE: USG - 24"x24", CLIMAPLUS ITEM 86185 FLAT WHITE
5. ALL CEILING DEVICES SHALL BE CENTERED IN CEILING TILE (U.N.O.)
6. REFER TO MECHANICAL DRAWINGS FOR DIFFUSER TYPES.
7. MATCH EXISTING CEILING HEIGHTS IN ALL ROOMS. IF THERE IS INTERFERENCE THAT CANNOT BE RESOLVED, CEILING HEIGHT ADJUSTMENT WILL BE CONSIDERED.
8. DEMOLITION OF EXISTING DRYWALL CEILING IN MENS TOILET AND LOCKER ROOM SHALL BE PERFORMED BY THE CONTRACTOR.

**NEW WORK PLAN NOTES:**


1. EXISTING DRYWALL CEILING TO REMAIN. NO WORK IN THIS AREA
2. LOCATION OF BREAK IN CEILING. ARROW INDICATES SLOPED CEILING UP TOWARDS WINDOWS.
3. CONTRACTOR TO REPLACE EXISTING DIFFUSER AND RETURN GRILLE. CONFIRM EXACT NECK SIZE PRIOR TO ORDERING.
4. REPLACE DIFFUSER OR RETURN GRILLE WITH STYLE SPECIFIED IN MECHANICAL SCHEDULES. CONTRACTOR RESPONSIBLE FOR CONFIRMING NECK SIZE AND FRAME STYLE PRIOR TO ORDERING.
5. PROVIDE A 2' VERTICAL BULKHEAD AT THIS LOCATION.
6. EXISTING SLOPED DRYWALL UP TO WINDOWS AND SHORT HORIZONTAL PIECE OF DRYWALL TO REMAIN. CONTRACTOR TO CONNECT TO DRYWALL CEILING TO START LAY-IN PORTION OF CEILING.

**SPRINKLER NOTES:**

1. NEW SPRINKLER HEADS TO BE PROVIDED UNDER THIS CONTRACT. EXISTING HEADS TO BE REMOVED AND NEW RECESSED HEADS TO BE LOCATED IN THE SAME LOCATION. PROVIDE NEW CONCEALED HEADS IN LIEU OF EXISTING SEMI-RECESSED HEADS. PIPE DROPS TO HEADS TO BE SHORTENED AS REQUIRED. A FLEXIBLE SPRINKLER DROP MAY BE USED AS REQUIRED TO CENTER HEADS IN CEILING TILE.
2. SPRINKLER SYSTEM SHALL BE INSTALLED IN ACCORDANCE WITH NFPA 13, OHIO BUILDING CODE, AND OHIO FIRE CODE.
3. SPRINKLER CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING THE SPRINKLER WITH OTHER TRADES.

**CEILING LEGEND:**

- NEW 2x2 CEILING GRID AND TILE
- 2x2 RECESSED FLUORESCENT LIGHT FIXTURE
- NEW HVAC SUPPLY AIR DIFFUSER
- NEW HVAC RETURN/EXHAUST AIR GRILLE
- FIRE SPRINKLER HEAD



**ELMORE MAINTENANCE  
BUILDING HVAC ROOFTOP  
UNIT REPLACEMENT**

2	ADDENDUM 2	DVL	2016.06.24
BID AND PERMIT SET			2016.03.14
NO.	REVISION	BY	DATE

**OHIO TURNPIKE AND  
INFRASTRUCTURE COMMISSION**  
ARCHITECTURAL PLANS A-101

**URS**

DATE: 2016.03.14	SCALE: AS NOTED
CONTRACT 56-16-04	SHEET 2 OF 8